



10/10/2022

CUSTOMER PURCHASE ORDER

City of Hyattsville

4310 Gallatin St.

Hyattsville, MD 20781

Potomac Truck Center is providing a Mack LR Battery Electric chassis with a Leach 2R111 Demolition rearload body, and a Heliox 50KW Portable charger:

	One Unit (1)
Chassis Price	\$ 429,789
Sourcewell Discount Factor	71.43%
Sourced Goods	\$ 192,650
Added Protection Plans	\$ Included
Total	\$ 622,439

This vehicle(s) is available under the Sourcewell (Formerly known as NJPA) Contract Number 060920-MAK. Please reference this Contract Number on all Purchase Number. City of Hyattsville member #33637.

Pricing on upfitted materials and chassis are subject to potential OEM surcharges. Should the OEM pass along a surcharge, it will be added to this purchase order amount with proof provided.

Sincerely,

Curt Wagner

Potomac Truck Center

TECHNICAL SPECIFICATION

LR 64R BE



		WEIGHT (LB)	
APPLICATION PACKAGES	DESCRIPTION	FRONT	REAR
CHASSIS CONFIGURATION PACKAGE	BODY BUILDER PREP PACKAGE (REQUIRES MBP SELECTION)	0	0
BODY BUILDER PACKAGE	LABRIE LEACH 25YD REAR LOADER 6*4, 185 WB	0	0

		WEIGHT (LB)		
CUSTOMER/VEHICLE INFO	DESCRIPTION	FRONT	REAR	
S CA	CHASSIS (BASE MODEL)	LR 64R BE DAYCAB	9,657	2,873
S	CUSTOMER FLEET SIZE	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0	0
	TYPE OF SERVICE	MUNICIPAL	0	0
S	WARRANTY REGISTRATION LOCATION	USA - WARRANTY REGISTRATION LOCATION	0	0
	EMISSION WARRANTY CERTIFICATION	Battery Electric	0	0
S	INITIAL REGISTRATION LOCATION	USA REGISTRATION	0	0
S	VEHICLE APPLICATION CLASS	CLASS B HIGHWAY-INNER CITY	0	0
	VEHICLE USE & BODY/TRAILER TYPE	REFUSE REAR LOADER TRUCK	0	0
S	TERRAIN GRADE	NORMAL HIGHWAY, STARTING GRADES<12%	0	0
S	LOADING SURFACE	CONCRETE LOADING AND / OR UNLOADING SURFACE	0	0
	VEHICLE VOCATION	REFUSE / LANDFILL OPERATION	0	0
	SALES PROMOTION	SOURCEWELL SALES PROGRAM	0	0

		WEIGHT (LB)		
ENGINE/TRANSMISSIONS	DESCRIPTION	FRONT	REAR	
S	ENGINE PACKAGE, COMBUSTION	MACK BE - 448 HP / 536 HP (PEAK), 4051LB-FT, ELECTRIC MOTOR, ZERO EMISSION	591	197
S	TRANSMISSION	MACK ELECTRIC PROPULSION TRANSMISSION 800 NM 2SPEED	276	150
S	ENERGY STORAGE SYSTEM	ESS TOTAL ENERGY 375 KWH (BOL)	0	0

		WEIGHT (LB)		
ENGINE EQUIPMENT	DESCRIPTION	FRONT	REAR	
S	WINTERFRONT	W/O BUG SCREEN/WINTER FRONT	-8	3
S	AIR COMPRESSOR/DRYER	WABCO HEATED SS TWIN W/ 2 SCROLL (10.6 CFM) AIR COMPRESSORS	351	91
S	BATTERIES	(2) MACK 12V 170/340 AH WET CHARGE	532	532
	ENGINE BRAKE	MACK BE MOTOR BRAKE WITH REGENERATION	0	0
S	COOLANT PROTECTION	ETHYLENE GLYCOL EXTENDED LIFE COOLANT (50/50 MIX DYED RED) TO -34DEG	0	0
	RADIATOR TYPE	EXTRA NARROW RADIATOR WITH LENGTH 1 (60 DM2)	0	0
S	HOSES - RADIATOR/HEATER	SILICONE W/ SPRING LOADED CLAMPS FOR BOTH RADIATOR & HEATER HOSE	3	0

		WEIGHT (LB)		
CLUTCH/TRANS EQUIPMENT	DESCRIPTION	FRONT	REAR	
S	DRIVELINE - MAIN	SPICER COMPACT SERIES	0	0
S	DRIVELINE - INTERAXLE	SPICER COMPACT SERIES - LARGE	0	0
S	LUBRICANTS, TRANSMISSION	TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS	0	0

TECHNICAL SPECIFICATION *(cont.)*



			WEIGHT (LB)	
FRONT AXLE EQUIPMENT	DESCRIPTION		FRONT	REAR
S	FRONT AXLE	20000# (9100 KG) MACK FXL20 TAPERED SPINDLE / TAPERED BEARINGS	325	0
S	SPRINGS - FRONT	MACK TAPERLEAF 20000# (9100 KG) GROUND LOAD RATING, EQUAL BIAS	0	0
S	FRONT AXLE BRAKES	MERITOR EX+ AIR DISC BRAKES 430MM (17") H-TYPE	25	0
S	FRONT BRAKE ADJ. MANUFACTURE	AUTOMATIC FOR AIR DISC BRAKES	0	0
S	FRONT BRAKE CHAMBER MFG.	FRONT BRAKE CHAMBER MANUFACTURER, WABCO	0	0
S	HUB MATERIAL, FRONT	IRON CONMET PRESET-PLUS W/PREMIUM SEAL	0	0
S	SHOCK ABSORBER, FRONT	DOUBLE ACTING TYPE	20	0
S	STEERING	TAS-65 PLUS RIGHT SIDE ASSIST CYLINDER	175	0
S	BUMP STOP, FRONT SUSPENSION	STATIC LOAD CUSHIONS	12	0

			WEIGHT (LB)	
REAR AXLE EQUIPMENT	DESCRIPTION		FRONT	REAR
S	REAR AXLE	46000# (20900kg) MACK S462R CAST DUCTILE HOUSING	0	1,614
S	CARRIER - REAR AXLE	CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERWHEEL DIFFERENTIAL LOCKS, SEE 254 SYMBOL	0	0
	REAR AXLE RATIO	6.12 RATIO	0	0
S	REAR SUSPENSION	MACK mRIDE 46 PARABOLIC 3-LEAF, 46,000 lb, STANDARD DUTY	0	1,674
S	BOGIE SPREAD, REAR	54" AXLE SPACING (BOGIE WHEELBASE)	0	3
S	REAR SHOCK ABSORBER	REAR SHOCK ABSORBER	0	27
S	TRANSVERSE TORQUE RODS, R SUSP	WITHOUT TRANSVERSE TORQUE RODS	0	-66
S	BRAKES - REAR	MERITOR EX+ AIR DISC BRAKES, 430MM (17") - H TYPE (Total for QTY = 2)	0	-61
S	BRAKE, DRIVE, REAR	BRAKE DRIVE, REAR, DISC LIGHTWEIGHT	0	0
S	REAR BRAKE ADJ MANUFACTURE	AUTOMATIC SLACK ADJUSTERS FOR REAR AIR DISC BRAKES	0	0
	SPRING BRAKE CHAMBERS - SIZE	REAR SPRING BRAKE CHAMBERS 24/24 TYPE	0	0
	BRAKE ORI REAR-MOST DRIVE AXLE	DISC BRAKE CHAMBER ORIENTATION: Middle Mount - Forward of Axle - Chamber Inward	0	0
S	PARKING BRAKE CHAMBER	WABCO BRAKE CHAMBERS VENDOR (Total for QTY = 2)	0	0
S	HUB MATERIAL, DRIVE	CONMET IRON HUBS W/PRESET BEARINGS & SEALS	0	0
S	POWER DIVIDER LOCKOUT	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	0	40
S	LUBRICANTS, REAR AXLE(s)	FACTORY OPTION LUBE - REAR AXLE 80W-90	0	0
	ABS SENSOR & MODULATOR	6S/6M SYSTEM SENSING BOTH REAR AXLES W/WHEEL END SENSORS	5	0
S	ANTILOCK BRAKE SYSTEM	BENDIX WITH TRACTION CONTROL 6S6M	0	0

			WEIGHT (LB)	
FRAME EQUIPMENT/FUEL TANKS	DESCRIPTION		FRONT	REAR
	WHEELBASE	185"	170	170
	AF (OVERHANG)	67"	-17	106
S	FRAME RAILS & LINERS	9.5 x 82 x 340mm - (0.375" x 3.25" x 13.38")W/ Full Liner; RBM 3,122,400 LB-IN	0	0
S	FRONT FRAME LENGTH	FRONT FRAME LENGTH 1525MM	146	-19
S	CROSSMEMBERS	STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW TOP OF RAIL	0	0
	AUX CROSSM. IN REAR OVERH TYPE	WITHOUT AUXILIARY CROSSMEMBER	0	0
S	REAR CROSSMEMBER OPTIONS	STEEL CLOSING REAR CROSSMEMBER	-11	60
S	FRONT BUMPER	FLUSH-PAINTED STEEL	0	0

TECHNICAL SPECIFICATION *(cont.)*



			WEIGHT (LB)	
FRAME EQUIPMENT/FUEL TANKS	DESCRIPTION		FRONT	REAR
S	GUARD	SKID PLATE UNDER BUMPER AND RADIATOR	128	-8
S	TOWING DEVICE, FRONT	CENTER TOW CAPABILITY BASED ON BUMPER SELECTION	0	0

			WEIGHT (LB)	
AIR/BRAKE	DESCRIPTION		FRONT	REAR
S	AIRTANK DRAIN VALVE	AUTO DRAIN VALVE, HEATED ON SUPPLY TANK, MANUAL (PETCOCK) ON ALL OTHER TANKS	0	0
S	AIRTANK MATERIAL	STEEL AIR TANK PAINTED CHASSIS COLOR	0	0
S	PARKING BRAKE VALVE	SINGLE VALVE SYSTEM	0	0
S	AUXILIARY BRAKE CONTROL	AUXILIARY WORK BRAKE HAND CONTROL, ACCESSIBLE FROM RIGHT SIDE ONLY	0	0

			WEIGHT (LB)	
ELECTRICAL	DESCRIPTION		FRONT	REAR
S	BACK-UP ALARM	PRECO, MODEL 1059	0	3
S	ROOF & SIDE MARKER LIGHTS	TRUCKLIGHT TYPE ROOF MARKER for LR	0	0
S	HEADLAMP BULB TYPE	HEADLAMP BULB TYPE, LED	0	0
S	HEADLAMP PROTECTION	HEADLAMP PROTECTION	0	0
S	DAYTIME RUNNING LIGHTS	ENGINE RUNNING ACTIVATED	0	0
S	AUX. POWER OUTLET, INTERIOR (CA in PC28 only)	COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT	0	0
S	FRONT & SIDE INDICATOR LMP TYP	FRONT AND SIDE DIRECTION IND & MARKER, LED TYPE	3	0

			WEIGHT (LB)	
PTO	DESCRIPTION		FRONT	REAR
S	BODY BUILDER MODULE	Controllink III BODY BUILDER EL PREP KIT, REFUSE, RP170 ELECT. INTERFACE (3 CON 54 PINS)	0	0
	ELECTRIC PTO POSITION	ELECTRIC PTO POSITION, RIGHT HAND SIDE	111	265

			WEIGHT (LB)	
SPECIALTY EQUIPMENT	DESCRIPTION		FRONT	REAR
S	PASSIVE SAFETY SYSTEM	WITHOUT PASSIVE SAFETY SYSTEM	0	0

			WEIGHT (LB)	
CAB INTERIOR (A THRU G)	DESCRIPTION		FRONT	REAR
S	AIR CONDITIONING/HEATER	(LR) AUXILLARY COOLER W/ STANDARD HEATER	106	0
S	SURVEILLANCE CAMERA OPTIONS (CA)	WITHOUT CAMERA	0	0
S	DOME LAMP, INTERIOR	DOME LIGHTS (2) W/SELF-CONTAINED SWITCHES (ONE EACH SIDE)	0	0
S	FLOOR MATS	FLOOR MAT, RUBBER	0	0
S	SPEEDOMETER -&- GAUGES - UNIT(S) OF MEASURE	U.S. UNITS (PREDOMINANT)	0	0

			WEIGHT (LB)	
CAB INTERIOR (H THRU R)	DESCRIPTION		FRONT	REAR
S	KEY TYPES FOR DOORS	BASIC UNIQUE KEY	0	0

TECHNICAL SPECIFICATION *(cont.)*



			WEIGHT (LB)	
CAB INTERIOR (H THRU R)	DESCRIPTION		FRONT	REAR
S	IGNITION TYPE	KEY TYPE	0	0
S	AUDIO ACCOMMODATION	PREMIUM STEREO, AM/FM, MP3, WEATHER BAND, BLUETOOTH	0	0
S	ANTENNA - RADIO	RADIO ANTENNA, CH STYLE COWL MOUNTED ON LH SIDE	0	0
S	AUDIO SHUTOFF	AUTO SHUTOFF FOR RADIO ENTERTAINMENT SYSTEM WHEN VEHICLE IS ENGAGED IN REVERSE	0	0
S	POWER LEADS	POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) MOUNTED ON TOP OF DASH	0	0

			WEIGHT (LB)	
CAB INTERIOR (S THRU Z)	DESCRIPTION		FRONT	REAR
S	SEAT - DRIVER'S	AIR-SEARS MID-BACK SEAT C-2 W/FABRIFORM CUSHIONS	0	0
S	SEAT - PASSENGER'S	FOLD-UP SEARS SEATING, LOW BACK PASSENGER SEAT	0	0
S	SEAT COVERING	DRIVER- FABRIFORM CLOTH, BLACK RIDER- CLOTH, BLACK	0	0
S	SEAT BELT(S)	SEAT BELTS (ORANGE)/RETRACTORS, LAP AND SHOULDER FOR DRIVER AND LAP BELT FOR FOLD-UP RIDER SEAT	0	0
S	STEERING WHEEL	DIAMETER 450MM STEERING WHEEL, RUBBER GRIP V1	0	0
S	STEERING WHEEL ADJUSTMENT	ADJUSTABLE LH STEERING WHEEL RH FIXED	0	0
S	TURN SIGNALS	SELF CANCELLING TURN SIGNALS	0	0
S	WASHER RESERVOIR POSITION	W/O WINDSHIELD WASHER OPTION	0	0
S	WINDSHIELD PROTECTOR	FURNISH WINDSHIELD PROTECTOR	16	0

			WEIGHT (LB)	
CAB EXTERIOR	DESCRIPTION		FRONT	REAR
S	FRONT GRILLE	LR ELECTRIC BLACK GRILLE WITH GREY SURROUND AND BRIDGE	0	0
S	CAB	LH DRIVE WITH RH STAND UP OPERATING POSITION, EXTENDED CAB VERSION	0	0
S	CAB DOOR OPTIONS	LH FRONT HINGED DOOR W/PWR WINDOW: RH FOLD-UP DOOR W/ SLIDABLE WINDOW	0	0
S	CAB TILT PUMP	LOCATED IN STD LOCATION	0	0
S	CAB INSTEP VERSION	Cab Low Entry Step	0	0
S	PASSENGER SIDE VISIBILITY OPTIONS	WITHOUT AUXILIARY WINDOW IN RH DOOR WITHOUT SIDE CLOSE VIEW MIRROR	0	0
S	HORN - AIR	(1) TWIN-UNDER CAB TRUMPET W/DUAL LANYARD CONTROL	0	0
S	HORN - ELECTRICAL	DUAL TONE	5	0
S	MIRRORS - LEFT SIDE EXTERIOR	LH BLACK AERO MIRROR ELECTRICAL OPERATED & HEATED, W/ HEATED SQUARE BLACK CLOSE VIEW	0	0
S	MIRRORS - RIGHT SIDE EXTERIOR	RH BLACK AERO MIRROR ELECTRICAL OPERATED & HEATED, W/ HEATED SQUARE BLACK CLOSE VIEW	0	0

			WEIGHT (LB)	
WHEELS & TIRES	DESCRIPTION		FRONT	REAR
	TIRES BRAND/TYPE - FRONT	315/80R22.5 L BRIDGESTONE M870 (20000 lbs) (Total for QTY = 2)	336	0
	WHEELS - FRONT	22.5x9.00 ACCURIDE WHITE POWDER COATED STEEL, 5.75" OFFSET, 5 HAND HOLE (Total for QTY = 2)	208	0
S	FRONT AXLE TIRE & WHEEL QUANTITY	TWO FRONT TIRES & WHEELS	0	0
	TIRES BRAND/TYPE - REAR	11R22.5 H BRIDGESTONE M799 (24020 lbs) (DRIVE ONLY) (Total for QTY = 8)	0	988
	WHEELS - REAR	22.5x8.25 ACCURIDE ACCU-LITE WHITE POWDER COAT STEEL, 6.60" OFFSET, 5 HAND HOLE (Total for QTY = 8)	0	547
S	REAR AXLE TIRE & WHEEL QUANTITY	EIGHT REAR AXLE TIRES & WHEELS	0	0

TECHNICAL SPECIFICATION *(cont.)*



			WEIGHT (LB)	
WHEELS & TIRES		DESCRIPTION	FRONT	REAR
S	DRIVE WHEEL STUDS	DRIVE WHEEL STUDS LONGER LENGTH	0	0
S	TIRE INFLATION VALVE	STANDARD VALVE STEMS AND CAPS	0	0

			WEIGHT (LB)	
COMMUNICATION SYSTEMS		DESCRIPTION	FRONT	REAR
S	DIAGNOSTICS DISPLAY IN CLUSTER	DIAGNOSTICS DISPLAY IN CLUSTER, BASIC	0	0
S	TELEMATIC GATEWAY	TELEMATICS GATEWAY, 4G/LTE AND WLAN SYSTEM WITHOUT DIAGNOSTIC SERVICES	0	0

			WEIGHT (LB)	
ENGINE ELECTRONICS		DESCRIPTION	FRONT	REAR
S	EL HD THROTTLE,MAX ROAD SPEED	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)	0	0

			WEIGHT (LB)	
TRANSMISSION ELECTRONICS		DESCRIPTION	FRONT	REAR
S	TRANSM AUTO NEUTRAL ON P-BRAKE	ALLISON PARK BRAKE AUTO NEUTRAL-REQUIRES PARK BRAKE TO BE DISENGAGED PRIOR TO SELECTING A GEAR TO DR	0	0

			WEIGHT (LB)	
VEHICLE ELECTRONICS		DESCRIPTION	FRONT	REAR
	ROAD SPEED LIMITER SETTING	81 KM/H ROAD SPEED LIMITER (50MPH)	0	0
S	CRUISE CONTROL	CRUISE CONTROL	0	0
	CRUISE CONTROL, MAX SPEED	MAX CRUISE, 81 KPH (50MPH)	0	0
S	CRUISE CONTROL MIN SPEED	MIN CRUISE, 32 KPH (20 MPH)	0	0
	PDLO ENGAGED VLS	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 24KMH (15MPH)	0	0
S	VEHICLE OVERSPEED,ALL COND,LOG	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	0	0
S	VEHICLE OVERSPEED, FUELED, LOG	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	0	0
S	PERIODIC TRIP LOG DAY OF MONTH	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	0	0
S	VEHICLE APP SERVICE INTERVALS	SERVICE INTERVALS, VOCATIONAL APPLICATION	0	0
S	SERVICE ALERT	WITH SERVICE ALERT	0	0
S	MAINTENANCE DUE ALERT %	ACTIVATE ALERT AT 90% OF THE TIME/DISTANCE SETTING	0	0

			WEIGHT (LB)	
PTO ELECTRONICS		DESCRIPTION	FRONT	REAR
S	PTO1 SINGLE SPEED CONTROL RPM.	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM	0	0
S	PTO 1ST, MAX ROAD SPEED	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	0	0
S	PTO 1ST, SPEED RAMP RATE	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC	0	0
	PTO 1ST, ROAD SPEED LIMIT	PTO 1ST, ROAD SPEED LIMIT, 81 KMH (50 MPH)	0	0

TECHNICAL SPECIFICATION *(cont.)*



PAINT	DESCRIPTION	WEIGHT (LB)		
		FRONT	REAR	
S	PAINT DESIGN	LR ELECTRIC (MULTI-TONE)	0	0
S	PAINT TYPE	SOLID PAINT	0	0
S	PAINT COLOR - FIRST COLOR	MACK BLACK; P3036	0	0
S	PAINT COLOR - SECOND COLOR	MACK WHITE; P9188	0	0
S	PAINT COLOR - THIRD COLOR	NO THIRD TRUCK COLOR PROVIDED; NO COLOR	0	0
S	CAB COLOR	MULTI-TONE - CAB	0	0
S	PAINT - CAB PAINT SYSTEM	PAINT - CAB, URETHANE CLEAR COAT	0	0
S	CHASSIS RUNNING GEAR	MACK BLACK (URETHANE); P3036	0	0
S	BUMPER	PAINT BUMPER SAME COLOR AS CHASSIS RUNNING GEAR	0	0
S	HUBS & DRUMS-FRONT	SAME AS CHASSIS RUNNING GEAR	0	0
S	HUBS & DRUMS-REAR	SAME AS CHASSIS RUNNING GEAR	0	0

BASE WARRANTY & PURCHASED COVERAGES	DESCRIPTION	WEIGHT (LB)		
		FRONT	REAR	
S	BASIC CHASSIS COVERAGE	NORMAL DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (160,934 KM)	0	0
	EMISSION - SURCHARGE	Battery Electric	0	0
S	CHASSIS TOWING WARRANTY	BASE CHASSIS TOWING COVERAGE, ELECTRIC TRUCK, 12 MO/100K MILES	0	0
S	ENGINE TOWING WARRANTY	ELECTRIC CONTROL SYSTEM & ELECTRIC POWERTRAIN TOWING, 36 MO/150K MILES	0	0
S	ELECTRIC CONTROL SYSTEM	36 MO/150K MILES - BASE ELECTRIC CONTROL SYSTEM COVERAGE	0	0
S	ELECTRIC POWERTRAIN	36 MO/150K MILES - BASE ELECTRIC POWERTRAIN COVERAGE	0	0
S	BATTERY - ELECTRIC TRUCK	36 MO/150K MILES - BASE BATTERY COVERAGE	0	0
	MACK ULTRA SERVICE	60 MO/250K MILES/500K kWh - MACK ULTRA SERVICE AGREEMENT	0	0

ADDITIONAL ENGINEERING (Included)	DESCRIPTION	WEIGHT (LB)	
		FRONT	REAR
CA		0	0

FRONT / REAR AXLE WEIGHTS (LB)

13151

9178

TOTAL WEIGHT (LB)

22329



Mack Trucks
www.macktrucks.com

GranTurk equipment co., inc.

home office:
one schuylkill parkway
building b
bridgeport, pa 19405-1069
phone (610) 239-9800
fax (610) 239-9806

branch office:
1415 bush street
baltimore, md 21230
phone (410) 837-5570
fax (410) 837-1024

QUOTATION

August 4, 2022

Potomac Mack
610 Nursery Road
Linthicum Heights, MD 21090
Attention: Curt Wagner

Reference: City of Hyattsville

Our Sales Representative, Steve Provenza has requested that we offer the following for your consideration.

One (1) Leach 2R111 25 Yard Demolition Rear Load Body – Factory Mounted on Customer Supplied Mack LR EV Electric Chassis :

Winch 12,000 Lb Latch & Ears
Dual Leach Cart Tipper Installation
Chromium Carbide Packer Shoes & Rails
Broom & Shovel Holders Both Sides Tailgate
Side Door Ladder w/Grab Handle
Work Lights Hopper Flush Mtd LED Qty 2
Trapezoidal Lights Under Body Front LED Qty 2
Alternating Strobing Lights 6" Oval Amber
Front of Body Qty 2
Alternating Strobing Lights 6" Oval Amber on
Tailgate Upper Bar LED Qty 2
Single Zone Defense Camera w/Heater
Zone Defense 7" Color Monitor

Carrier Panel Face Liner 3/16" GR50
Hopper Floor Liner (Partial) 1/4" Hardox 450
Packer Panel Face Liner 1/4" GR50
Ramp Liners 1/4" Hardox 450
Rear Body Roof Liner 10 Ga GR80
Rear Body Side Liners 10 Ga GR80
Paint Urethane White
Non Standard Material & Additional Mounting
Time for an Electric Vehicle
Replace Std 1/4" Thick Hopper Lower Side Wall
Sheets w/ 1/2" Thick Same Steel Grade
One Year Standard Warranty
Freight, Prep, Delivery & Training

- TERMS – C.O.D.
- PRICE DOES NOT INCLUDE ANY APPLICABLE TAXES

• ACR:lc

DATE OF ACCEPTANCE _____

By _____

GranTurk equipment co., inc.



ANNE C. RITCHIE – PRESIDENT

Quotation Valid Only if Approved By An Officer of GranTurk equipment co., inc.