

Proposal Prepared for:

Michael Schmidl Facilities Manager City of Hyattsville, MD Department of Public Works

Quotation for BYD 6R Electric Truck

8 June 2020





BYD Electric Refuse Truck and Charger:

BYD is pleased to propose its well-proven 6R (Class 6 Refuse Truck) with the 221 kWh Battery System for City of Hyattsville Electric Truck Program.

Pricing and Scope of Supply:

Please refer to the table below for BYD's scope of supply and associated pricing.

| Item Number | Item Description | Quantity | MSRP | Extended Price |
|--|------------------------------------|----------|--------------|-------------------|
| 01 | 2020 BYD 6R Class 6 Refuse Chassis | 1 | \$265,000 | \$265,000 |
| 02 BYD 40 kW Charger, with Pedestal and 16' Charging Cable | | 1 | \$11,000 | \$11,000 |
| | | | Total Price: | \$276,000 |



6R Specifications:

| Chassis | BYD 6F |
|------------------|----------------------------|
| Length | 277.0 in. |
| Width | 94.5 in. |
| Height | 93.9 in. |
| Wheelbase | 153.5 in. |
| Curb Weight | 12,800 lbs. (w/out body) |
| GVWR | 26,000 lbs. |
| Top Speed | 70 mph |
| Max Gradeability | 25% |
| Working Range | 80+ miles |
| Wheel Rim | 20x6.5 |
| Tires | 8.25R20 |
| Suspension | Front/Rear leaf spring |
| Brakes | Front/Rear air disc brakes |
| Max Power | 335 hp |
| Max Torque | 1,328 ft.lbs. |
| Battery Capacity | 221 kWh |
| Charging Power | 40 kW AC, 120 kW DC CCS1 |



40 kW Charger Specifications:

| Charger | 40 kW | |
|------------------------------------|---|--|
| Charging Mode | AC | |
| Input Voltage | 480Y/277V 3P 4W | |
| Operating Voltage Range | 432V-528V 3-phase | |
| Input Current | 48A | |
| Recommended Circuit Breaker Rating | 80A | |
| Input Power | 40kW | |
| Frequency | 60Hz | |
| Output Voltage | 432V-528V 3-phase | |
| Output Current | 48A | |
| Output Power | 40kW | |
| Charging Coupler Type | IEC62196-2 | |
| Wires | 3 hot; 1 neutral; 1 ground | |
| Length | 15.75in | |
| Width | 7.87in | |
| Height | 27.17in | |
| Number of Coupler(s) | 1 | |
| Charging Cable Length | 118.11in | |
| Mounting Method | Wall-mounted | |
| Short-circuit Protection | Yes | |
| Overheat Protection | Yes | |
| Lightning Protection | Yes | |
| Certification | TUV | |
| Reference Standard | IEC61851/IEC62196 | |
| Enclosure Protection | IP55 | |
| Operating Temperature | -22 to +122 deg F | |
| Surrounding Humidity | 5-95% | |
| LED Indicators | Power, Connect, Charging, Complete, Error | |
| LED Screen | SOC, Est Time to 100% SOC, ID, Charging Volume, Error | |



Pricing Notes:

- 1. **Pricing:** This quotation is provided as a Firm Fixed Price.
- 2. Validity: This proposal is valid through 31 July 2020, after which it shall expire.
- 3. **Currency:** All pricing is quoted in US Dollars (USD).
- 4. **DMV Documentation:** BYD shall provide all necessary documentation for a successful DMV registration process.
- 5. **Lead Time:** Lead Time is approximately six (6) months, after receipt of Purchase Order and all necessary technical information. Lead time does not include the Body manufacturing time, body installation or testing.
- 6. **Delivery:** Chassis shall be delivered FOB BYD Factory Lancaster, CA, USA.
- 7. **Body:** Class 6 Chassis shall be shipped to location designated by Customer, for body installation.
- 8. **Shipping:** Shipping costs have not been included in this proposal and shall be invoiced separately.
- 9. **Payment:** 30% of the Post Incentive/ Pre Tax Price shall be paid upon receipt of Purchase Order. The balance shall be due upon Delivery.
- 10. Warranty: Pricing includes BYD's Standard Warranty.
- 11. **T&C:** Any contract shall be subject to mutually agreeable Terms and Conditions.

Exclusions:

- 1. **Civil Works:** Costs associated with construction and upgrading of the site's civil works (i.e. concrete, bollards, fencing, lighting, etc.), have not been included in this quotation.
- 2. **Electrical Infrastructure:** Costs associated with upgrading the electrical infrastructure at the designated site, have not been included in this quotation.
- 3. **Electrical Contracting:** Costs associated with the electrical contracting and permitting requirements for charger installation, have not been included in this quotation.
- 4. **Taxes:** Taxes have not been included in this quotation and shall be invoiced separately.
- 5. **DMV Registration:** DMV registration costs have not been included in this quotation.




BYD Contact Information:

John Gerra Sr. Director, Business Development BYD Motors LLC

Mobile: (626) 244-1997

Email: john.gerra@byd.com





THE NEW STANDARD

The BYD 6R is the world's first commercially available all-electric class 6 refuse chassis that can easily finish an entire route.

The BYD 6R's core technologies include state-of-the-art batteries, controls and motors. These core technologies are designed, tested and built by BYD as an integrated system. This allows the BYD 6R to achieve the highest levels of performance, endurance and reliability.

BYD software optimizes power and torque for superior performance in refuse collection operations. Combined with BYD's advanced battery chemistry, the BYD 6R holds more than enough energy to complete an entire route with true zero emissions.



BYD 6R

All-Electric Class 6 Refuse

Dimensions

| Length | 277.0 in |
|-------------|------------|
| Width | 94.5 in |
| Height | 93.9 in |
| Wheelbase | 153.5 in |
| Curb Weight | 12,800 lbs |
| GVWR | 26,000 lbs |

Performance

| Top Speed | 70 mph |
|----------------------------|-----------|
| Working Range ¹ | 80+ Miles |
| Max Gradeability | 25° |
| Approach/ | 22°/16° |
| Departure Angle | |

Chassis

| Wheel Rim | 19.5 x 6.75 |
|------------------|-------------|
| Tires | 245/70R19.5 |
| Front Suspension | Leaf Spring |
| Rear Suspension | Leaf Spring |
| Front Brakes | Air Disc |
| Rear Brakes | Air Disc |

Powertrain

| Max Power | 335 hp |
|-------------------------------|-------------|
| Max Torque | 1,328 lb-ft |
| Battery Capacity ² | 221 kWh |
| AC Charging | 40 kW AC |
| CCS1 DC | 120 kW DC |
| Charging Power | |
| CCS1 DC | 2 hrs |
| Charging Time ³ | |

Notes:

All information is based on the latest data available at the time of printing. Specifications are subject to change at any time.

- Working range is approximate and affected by variables including road and weather conditions, speed, and driver behavior.
- 2. Specified battery capacity may decrease over time.
- 3. Charging time is approximate.











en.byd.com



BYD MOTORS LLC

1800 S Figueroa St Los Angeles, CA 90015 en.byd.com

BYD Motors LLC, hereinafter referred to as "BYD," provides the following

WARRANTY

for the

BYD electric truck models BYD 6F (T7M), BYD 6R (T7M), BYD 8Y (Q1M), BYD 8TT (Q3M), BYD 8R (T9M) (the "Subject of the Warranty") under the following conditions.

1. Beneficiary of the Warranty; Spatial Area of Coverage of the Warranty

BYD provides the end customer (hereinafter referred to as the "Customer") with a non-transferable warranty for the Subject of the Warranty. The Customer is the natural person or legal entity which acquires the Subject of the Warranty for the purpose of commercially reasonable transportation use in the United States or Canada.

2. Term of the Warranty

The term of this Warranty for the Subject of the Warranty which BYD provides to the Customer is stated in the chart titled "Warranty Period" following this paragraph (the "Term of Product Warranty") and begins: (i) in the case of an equipment sale on the date of the Subject of the Warranty is Delivered per the terms of the Purchase Agreement; or, (ii) in the case of an equipment lease on the first day of the lease but only if the applicable lease down payment is paid in full.

Date: 200512 Rev: 008

Warranty Period

Subject to the terms and condition in this Warranty Period chart, this warranty covers the Subject of the Warranty for 2 years or 50,000 miles or 8,000 hours, whichever occurs first.

| 01 30 | | Joo Hours, Willer | lever occurs first. | 1 |
|-------|--|------------------------|---|--|
| # | Category | | Warranty Period (whichever occurs first) | Key components |
| 1 | Chassis(overall) | | 2 years or 50,000 miles or 8,000 hours | Normal wear and tear is excluded |
| 2 | | Battery | 8 years or 400,000 miles or 32,000 hours | Battery Packs and Battery Management Systems 70% of Specified Battery Capacity |
| | High-Voltage | Motor | 5 years or 250,000 miles or 20,000 hours | Drive motor |
| | Electrical Components | Controller | 5 years or 250,000 miles or 20,000 hours | Motor controller/High Voltage Distribution Box/3-in-1 Controller/BMS/Charging Port/Service Switch/High Voltage Harness/DC-DC |
| 3 | Powertrain | Powertrain Assembly | 5 years or 250,000 miles or 20,000 hours | Transmission/Transmission Case/TCU |
| | | | 2 years or 50,000 miles or 8,000 hours | Cab door |
| 4 | Cab | | 2 years or 50,000 miles or 8,000 hours | Cab rotating device/Seat belt assembly/Door lock/window glass/switch/Hinge/Rearview mirror assembly/Windshield/Door glasses/Washer assembly |
| | | Frame | 2 years or 50,000 miles or 8,000 hours | Frame |
| | | Axle | 2 years or 50,000 miles or 8,000 hours | Front Axle/Rear Axle shell |
| 5 | Chassis | Brake system | 2 years or 50,000 miles or 8,000 hours | Brake/ABS/Air dryer/Air tank/condenser/Air compressor/brake pedal/Accelerator Pedal |
| | | Cooling system | 2 years or 50,000 miles or 8,000 hours | Radiator/Electric Fan/Electric pump/Expansion tank |
| | | Steering system | 2 years or 50,000 miles or 8,000 hours | Steering wheel assembly/Steering column and joint/Steering motor/drag link/Steering oil reservoir/Steering pump |
| | | Suspension | 2 years or 50,000 miles or 8,000 hours | Spring leaf/Shock absorber |
| | | | 2 years or 50,000 miles or 8,000 hours | Rim |
| | | V | Wheel | 2 years or 50,000 miles or 8,000 hours Normal wear and tear is excluded. |
| 6 | HVAC | | 2 years or 50,000 miles or 8,000 hours | HVAC Shell/PTC/Air compressor/Condenser/HVAC Panel |
| 7 | Low-Voltage Electrical Components | | 2 years or 50,000 miles or 8,000 hours | BCU/Front & Rear combo lights/Instrument panel/Combo switch/Chassis distribution box/Speaker/VCU/Gateway/Radio/L ow Voltage battery |
| 8 | Interior | | 2 years or 50,000 miles or 8,000 hours | Instrument panel/Central console/Flooring |
| 9 | Upper body | | 2 years or 50,000 miles or 8,000 hours | Warranty only covers BYD bodies |
| 10 | Short Service-Life Items | | 2 years or 50,000 miles or 8,000 hours Normal wear and tear is excluded. | Brake pads/windshield wiper/lightbulb/Low-voltage fuse/Button Battery/oil/Air filter/Coolant/Refrigerant/Hose plate/Plate lock/Rubber plates, etc. |
| 11 | BYD Chargers | | 1 year | Charger Interface Assembly |
| 12 | 2 BYD Parts | | BYD Parts 1 year All spare and/or replacement | |
| ** D\ | * BVD may cleat to perform warranty convice in accordance with this agreement; (i) at its factory authorized convice contact | | | |

^{**} BYD may elect to perform warranty service in accordance with this agreement: (i) at its factory-authorized service centers in California; or, (ii) at the Customer's local equipment maintenance facility at no cost to BYD.

Date: 200512 Rev: 008

3. Exclusion of Warranty

BYD's warranty shall not cover defects or non-conformities in the Subject of the Warranty which are caused by normal wear and tear, inadequate maintenance, transportation, storage or faulty repair, misuse, neglect, accident or abuse, modification to the Subject of the Warranty by a third party other than BYD or BYD's agent approved by BYD, failure to observe the maintenance or operating instructions provided by BYD, or improper installation. The warranty shall not apply to defects caused by external influences including unusual physical or electrical stress (power failure surges, lightning, flood, fire, accidental breakage), which are not the responsibility of BYD. No warranty shall apply to any damages caused by goods to which the Subject of the Warranty is incorporated or installed into, or used together with, including ay parts thereof.

EXCEPT AS HEREIN EXPRESSLY STATED, THERE ARE NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE, FOR ANY SUBJECT OF THE WARRANTY THEREOF FURNISHED HEREUNDER. THE PARTIES AGREE THAT THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER WARRANTIES AND/OR GUARANTEES, EXPRESS OR IMPLIED, ARE EXCLUDED FROM THIS TRANSACTION AND SHALL NOT APPLY FOR THE SUBJECT OF THE WARRANTY.

IN NO EVENT SHALL BYD BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE WHATSOEVER FOR ANY REASON (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, LOSS OF USE, LOSS OF EQUIPMENT OR LOSS OF REVENUES) REGARDLESS OF THE LEGAL THEORY ON WHICH ANY SUCH CLAIM MAY BE MADE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

BYD shall not be liable for any inability to performance hereunder which is due to causes beyond its control, including, without limitation, strike, lockout, riot, war, fire, plague, act of God, extreme weather, natural disaster, change in law or regulation, or any governmental action or inaction.

4. Assertion of Warranty Claims

BYD appoints the Customers' place of purchase as service center for receiving and processing warranty claims. Upon discovering a potential warranty claim regarding the Subject of the Warranty, the Customer must immediately submit the prospective claim in writing along with the original purchase agreement and invoice. Customer's claims regarding the warranty hereunder shall be made within 21 days after Customer detects that the Subject of the Warranty has developed potential warranty issues.

5. Applicable Law; Arbitration

Any controversy or claim arising out of or relating to this warranty, or the breach thereof, shall be settled by arbitration administered by the American Arbitration Association under its Commercial Arbitration Rules. The number of arbitrator(s) shall be three (3). The place of arbitration shall be Los Angeles, California. California law shall apply. Judgment on the award rendered by the arbitrator(s) may be entered in any court having jurisdiction thereof. The arbitrator(s) shall be entitled to issue injunctive and other equitable relief. A Party may apply to any court with jurisdiction for interim or conservatory relief, including without limitation a proceeding to compel arbitration.

Date: 200512 Rev: 008